



Foamdoctor G2870

general purpose foam control agent

PennWhite

technical data sheet

foam control agents - general grade

Foamdoctor G2870 is a hydrocarbon based foam control agent for use in a number of applications where foaming is an inherent problem.

The benefits of using **Foamdoctor G2870** are reduced dosage rates and a cost effective formulation.

TYPICAL PROPERTIES

Appearance:	Off-white liquid
Specific Gravity:	0.94-0.98 g/cm ³ @ 25°C.
Viscosity:	ca 500 cps @ 25°C.

APPLICATION

Effluent/wastewater treatment where the foam is surfactant or solvent generated e.g. paint denaturant systems, electroplating.
Textile processing, including high temperature jet dyeing.
Water based paint manufacture, emulsion polymerisation, latex, inks and coatings production.
Distillation processes with solvent / water mixtures.
Metalworking applications, including cutting oil formulations.

PACKAGING

Foamdoctor G2870 is available in 205 litres, 1000 litre IBC containers or bulk road tanker deliveries.

(OPA2/F2)

TDS: 067

Issue: 04

Revised: 05/03/2014

Page 1 of 1

**For additional technical or safety advice call us
on 01606 734820 or email info@pennwhite.co.uk**

PennWhite Ltd

Aston Way

Midpoint 18 Business Park

Middlewich, CW10 0HS

Telephone: +44 (0)1606 734820

Fax: +44 (0)1606 837867

Email: info@pennwhite.co.uk

Website: www.pennwhite.co.uk

