



Foamdoctor G2977

foam control agent

PennWhite

technical data sheet

foam control agents - general grade

Foamdoctor G2977 is a powerful foam control agent based on a solution of polymers and non-ionic surfactants in a light mineral oil.

Foamdoctor G2977 is highly efficient and controls foaming and aeration during paint manufacture, filling and application. It has a long lasting efficiency with a good compatibility in a wide range of solvent-borne systems and contains no cyclohexanone.

TYPICAL PROPERTIES

Appearance: Clear colourless liquid
IR Spectra: Conforms to reference

APPLICATION

Foamdoctor G2977 should be used as received. A split addition is recommended, adding 1/3 to 2/3 during pigment dispersion, the remainder during let down. Suggested dosage for some typical applications:

Application	Area	Dosage
Coatings	Air drying Alkyd Paints	0.05–0.2%
	Acrylic paints	0.1–0.3%
	Alkyd-melamine paints	0.1–0.3%
Solvent - free systems		0.1–0.5%
Adhesives	Non-aqueous	0.2–0.5%

PACKAGING

Foamdoctor G2977 is available in 200kg drums.

SHELF LIFE AND STORAGE CONDITIONS

Keep container tightly closed. Store in a cool dry place between 5°C and 35°C. Protect from frost. Shelf life is 12 months in unopened containers.

(OPA2/F2)

TDS: 124

Issue: 03

Revised: 07/03/2014

Page 1 of 1

For additional technical or safety advice call us on 01606 734820 or email info@pennwhite.co.uk

PennWhite Ltd
Aston Way
Midpoint 18 Business Park
Middlewich, CW10 0HS



Telephone: +44 (0)1606 734820
Fax: +44 (0)1606 837867
Email: info@pennwhite.co.uk
Website: www.pennwhite.co.uk